


PI-EX-RTD - Signal converter



2865311

<https://www.phoenixcontact.com/us/products/2865311>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Ex i temperature transducer: converts measured values from resistance thermometers installed in the Ex area to a 0/4 mA ... 20 mA signal for driving a non-intrinsically safe load. Freely programmable. 3-way electrical isolation.

Commercial data

Item number	2865311
Packing unit	1 pc
Sales key	NULL
Product key	CK3821
GTIN	4046356460569
Weight per piece (including packing)	128.2 g
Weight per piece (excluding packing)	116.2 g
Customs tariff number	85437090
Country of origin	DE

PI-EX-RTD - Signal converter



2865311

<https://www.phoenixcontact.com/us/products/2865311>

Technical data

Product properties

Product type	Temperature transmitter
--------------	-------------------------

Electrical properties

Electrical isolation	3-way isolation
----------------------	-----------------

Input data

Measurement	
Temperature measuring range	-200 °C ... 850 °C (Range depending on the sensor type)

Output data

Switching:	
Configurable/programmable	no
Signal	
Configurable/programmable	Yes

Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-20 °C ... 60 °C

Approvals

ATEX	
Identification	Ⓜ II (1) G [Ex ia Ga] IIC Ⓜ II (1) D [Ex ia Da] IIIC Ⓜ II 3 (1) G Ex nA ic [ia Ga] IIC T4 Gc
EAC Ex	
Identification	Ⓜ [Ex ia Ga] IIC
Certificate	RU C-DE.AB72.B.00097/19

Standards and regulations

Electrical isolation	3-way isolation
----------------------	-----------------

PI-EX-RTD - Signal converter



2865311

<https://www.phoenixcontact.com/us/products/2865311>

Classifications

ECLASS

ECLASS-11.0	27210129
ECLASS-12.0	27210129

ETIM

ETIM 8.0	EC002919
----------	----------

UNSPSC

UNSPSC 21.0	41112100
-------------	----------

PI-EX-RTD - Signal converter



2865311
<https://www.phoenixcontact.com/us/products/2865311>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes
Exemption	7(a), 7(c)-I
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com