

# UM-BEFE 35-1 - Base element

2956660

<https://www.phoenixcontact.com/us/products/2956660>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Base element with snap-on foot, for mounting on NS 32 or NS 35/7.5 DIN rail, without ribs, L = 35 mm



## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 2956660             |
| Packing unit                         | 10 pc               |
| Minimum order quantity               | 10 pc               |
| Sales key                            | AC13                |
| Product key                          | ACHDDA              |
| Catalog page                         | Page 763 (C-1-2013) |
| GTIN                                 | 4017918085889       |
| Weight per piece (including packing) | 20.34 g             |
| Weight per piece (excluding packing) | 20.15 g             |
| Customs tariff number                | 85472000            |
| Country of origin                    | PL                  |

# UM-BEFE 35-1 - Base element



2956660

<https://www.phoenixcontact.com/us/products/2956660>

## Technical data

### Product properties

|                              |                              |
|------------------------------|------------------------------|
| Product type                 | Component housing lower part |
| Housing type                 | Press-drawn section housings |
| Housing series               | UM                           |
| Product family               | UM BE                        |
| Type                         | Plug-in module base element  |
| Ventilation openings present | no                           |

### Data management status

|                  |    |
|------------------|----|
| Article revision | 02 |
|------------------|----|

### Dimensions

|        |         |
|--------|---------|
| Width  | 35 mm   |
| Height | 111 mm  |
| Depth  | 27.7 mm |

### Material specifications

|                         |                  |
|-------------------------|------------------|
| Color (Housing)         | green (RAL 6021) |
| Housing material        | Polyamide        |
| Surface characteristics | untreated        |

### Environmental and real-life conditions

#### Ambient conditions

|                                         |                                                    |
|-----------------------------------------|----------------------------------------------------|
| Ambient temperature (operation)         | -40 °C ... 105 °C (depending on power dissipation) |
| Ambient temperature (storage/transport) | -40 °C ... 55 °C                                   |
| Ambient temperature (assembly)          | -5 °C ... 100 °C                                   |
| Relative humidity (storage/transport)   | 80 %                                               |

### Mounting

|               |                   |
|---------------|-------------------|
| Mounting type | DIN rail mounting |
|---------------|-------------------|

# UM-BEFE 35-1 - Base element



2956660

<https://www.phoenixcontact.com/us/products/2956660>

## Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2956660>



**UL Recognized**

Approval ID: E240868

# UM-BEFE 35-1 - Base element



2956660

<https://www.phoenixcontact.com/us/products/2956660>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27182701 |
| ECLASS-13.0 | 27190601 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC002779 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

# UM-BEFE 35-1 - Base element



2956660  
<https://www.phoenixcontact.com/us/products/2956660>

## Environmental product compliance

|                                         |                                          |
|-----------------------------------------|------------------------------------------|
| EU RoHS                                 |                                          |
| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |
| China RoHS                              |                                          |
| Environment friendly use period (EFUP)  | EFUP-E                                   |
|                                         | No hazardous substances above the limits |
| EU REACH SVHC                           |                                          |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)