

3240262

https://www.phoenixcontact.com/us/products/3240262

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, Pack of 10 (20 m), similar to EN 60715, material: Steel, galvanized, C profile

Your advantages

- · The cable clamps provide strain relief
- The halogen-free plastic troughs have been designed to be perfectly secure while simultaneously protecting the conductors
- · Individual or bundled cables with a diameter of up to 64 mm can be installed safely and easily

Commercial data

Item number	3240262
Packing unit	10 m
Minimum order quantity	20 m
Sales key	BE72
Product key	BE7284
Catalog page	Page 583 (C-3-2019)
GTIN	4046356480833
Weight per piece (including packing)	1,400 g
Weight per piece (excluding packing)	1,400 g
Customs tariff number	72166190
Country of origin	DE



3240262

https://www.phoenixcontact.com/us/products/3240262

Technical data

Product properties

Product type	DIN rail	
Data management status		
Article revision	01	

Dimensions

Width	30 mm
Hole width	15 mm
Height	2000 mm
Hole height	6.2 mm
Depth	15 mm
Length	2000 mm
Drill hole spacing	25 mm

Material specifications

Material	Steel
Coating	galvanized

Standards and regulations

Connection in acc. with standard	IEC / EN
Tests	similar to EN 60715



3240262

https://www.phoenixcontact.com/us/products/3240262

Classifications

ECLASS

	ECLASS-11.0	27400602
	ECLASS-13.0	27400602
	ECLASS-12.0	27400602
ETIM		
	ETIM 9.0	EC001285
UNSPSC		
	UNSPSC 21.0	39121700



3240262

https://www.phoenixcontact.com/us/products/3240262

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com