

# NS 35/15 ZN PERF(18X5,2)2000MM - DIN rail perforated



3240571

<https://www.phoenixcontact.com/us/products/3240571>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, Hole size: 5.2 mm x 18 mm, similar to EN 60715, material: Steel, galvanized, Standard profile, color: silver

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 3240571             |
| Packing unit                         | 50 m                |
| Minimum order quantity               | 50 m                |
| Sales key                            | BE72                |
| Product key                          | BE7243              |
| Catalog page                         | Page 533 (C-3-2019) |
| GTIN                                 | 4046356583145       |
| Weight per piece (including packing) | 1,250 g             |
| Weight per piece (excluding packing) | 1,250 g             |
| Customs tariff number                | 72166190            |
| Country of origin                    | DE                  |

# NS 35/15 ZN PERF(18X5,2)2000MM - DIN rail perforated



3240571

<https://www.phoenixcontact.com/us/products/3240571>

## Technical data


### Product properties

|              |          |
|--------------|----------|
| Product type | DIN rail |
|--------------|----------|

### Data management status

|                  |    |
|------------------|----|
| Article revision | 01 |
|------------------|----|

### Dimensions

|                     |                                                                                    |
|---------------------|------------------------------------------------------------------------------------|
| Dimensional drawing |  |
| Width               | 35 mm                                                                              |
| Hole width          | 18 mm                                                                              |
| Height              | 2000 mm                                                                            |
| Hole height         | 5.2 mm                                                                             |
| Depth               | 15 mm                                                                              |
| Length              | 2000 mm                                                                            |
| Drill hole spacing  | 25 mm                                                                              |

### Material specifications

|          |            |
|----------|------------|
| Color    | silver     |
| Material | Steel      |
| Coating  | galvanized |

### Standards and regulations

|                                  |                     |
|----------------------------------|---------------------|
| Connection in acc. with standard | IEC / EN            |
| Tests                            | similar to EN 60715 |

# NS 35/15 ZN PERF(18X5,2)2000MM - DIN rail perforated




3240571

<https://www.phoenixcontact.com/us/products/3240571>

## Drawings

Dimensional drawing



# NS 35/15 ZN PERF(18X5,2)2000MM - DIN rail perforated



3240571  
<https://www.phoenixcontact.com/us/products/3240571>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27400602 |
| ECLASS-13.0 | 27400602 |
| ECLASS-12.0 | 27400602 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC001285 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

# NS 35/15 ZN PERF(18X5,2)2000MM - DIN rail perforated



3240571  
<https://www.phoenixcontact.com/us/products/3240571>

## Environmental product compliance

|                                         |                                          |
|-----------------------------------------|------------------------------------------|
| EU RoHS                                 |                                          |
| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |
| China RoHS                              |                                          |
| Environment friendly use period (EFUP)  | EFUP-E                                   |
|                                         | No hazardous substances above the limits |
| EU REACH SVHC                           |                                          |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)