


# CD-HF 25X60 BU - Cable duct

3240584

<https://www.phoenixcontact.com/us/products/3240584>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable duct for installation and mounting in control cabinets, blue, halogen-free, comprising upper part and mounting base, width: 25 mm, height: 60 mm, length: 2000 mm

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 3240584             |
| Packing unit                         | 15 pc               |
| Minimum order quantity               | 15 pc               |
| Sales key                            | BE74                |
| Product key                          | BE7442              |
| Catalog page                         | Page 579 (C-3-2019) |
| GTIN                                 | 4046356630023       |
| Weight per piece (including packing) | 626 g               |
| Weight per piece (excluding packing) | 571 g               |
| Customs tariff number                | 39259020            |
| Country of origin                    | DE                  |

# CD-HF 25X60 BU - Cable duct

3240584

<https://www.phoenixcontact.com/us/products/3240584>




## Technical data

### Product properties

|                        |             |
|------------------------|-------------|
| Product type           | Wiring duct |
| Data management status |             |
| Article revision       | 02          |

### Dimensions

|                     |                                                                                    |
|---------------------|------------------------------------------------------------------------------------|
| Dimensional drawing |  |
| Width               | 25 mm                                                                              |
| Height              | 60 mm                                                                              |
| Length              | 2000 mm                                                                            |

### Material specifications

|                                        |                 |
|----------------------------------------|-----------------|
| Color                                  | blue (RAL 5015) |
| Material                               | PC/ABS          |
| Flammability rating according to UL 94 | V0              |
| Components                             | halogen-free    |

### Cable/line

|              |     |
|--------------|-----|
| Halogen-free | yes |
|--------------|-----|

### Environmental and real-life conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient conditions              |                  |
| Ambient temperature (operation) | -25 °C ... 90 °C |

# CD-HF 25X60 BU - Cable duct


3240584

<https://www.phoenixcontact.com/us/products/3240584>



## Drawings

Dimensional drawing



Base perforation according to DIN EN 50085

# CD-HF 25X60 BU - Cable duct



3240584

<https://www.phoenixcontact.com/us/products/3240584>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/3240584>



**VDE Zeichengenehmigung**

Approval ID: 40058453



**cULus Recognized**

Approval ID: E328576



**cCSAus**

Approval ID: 80202282

**DNV**

Approval ID: TAE00004VN

# CD-HF 25X60 BU - Cable duct



3240584

<https://www.phoenixcontact.com/us/products/3240584>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27400703 |
| ECLASS-12.0 | 27400703 |
| ECLASS-13.0 | 27400703 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC000012 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39131700 |
|-------------|----------|

# CD-HF 25X60 BU - Cable duct

3240584

<https://www.phoenixcontact.com/us/products/3240584>



## Environmental product compliance

|                                         |                                          |
|-----------------------------------------|------------------------------------------|
| EU RoHS                                 |                                          |
| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |
| China RoHS                              |                                          |
| Environment friendly use period (EFUP)  | EFUP-E                                   |
|                                         | No hazardous substances above the limits |
| EU REACH SVHC                           |                                          |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |

# CD-HF 25X60 BU - Cable duct



3240584

<https://www.phoenixcontact.com/us/products/3240584>

## Accessories

### RVT-PA 4 - Fastening clip

3240498

<https://www.phoenixcontact.com/us/products/3240498>



Plastic body-bound rivet, for hole diameter of 4 mm and a material thickness of 1.5 ... 6 mm

---

### RVT-PA 6 - Fastening clip

3240499

<https://www.phoenixcontact.com/us/products/3240499>



Plastic body-bound rivet, for hole diameter of 6 mm and a material thickness of 1.5 ... 6 mm

## CD-HF 25X60 BU - Cable duct

3240584

<https://www.phoenixcontact.com/us/products/3240584>



## CD-HF COVER 25 BU - Cover profile

3240611

<https://www.phoenixcontact.com/us/products/3240611>



Cover for cable duct, blue, halogen-free, width: 25 mm, length: 2000 mm

---

## CD WR - Universal wire retaining clip

3240284

<https://www.phoenixcontact.com/us/products/3240284>



Universal wire holding bracket, perforated, for wiring channels

## CD-HF 25X60 BU - Cable duct

3240584

<https://www.phoenixcontact.com/us/products/3240584>



## UNIFOX-RVT P 4 - Tool

1212478

<https://www.phoenixcontact.com/us/products/1212478>

Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets



---

## UNIFOX-RVT P 6 - Tool

1212509

<https://www.phoenixcontact.com/us/products/1212509>

Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets



## CD-HF 25X60 BU - Cable duct

3240584

<https://www.phoenixcontact.com/us/products/3240584>



## PPS CD M - Cable duct cutter

1207569

<https://www.phoenixcontact.com/us/products/1207569>



Cable duct cutter, for burr-free cutting cable ducts and their covers, can be used up to a width of 125 mm

---

## CUTFOX-CD - Cable duct cutter

1212474

<https://www.phoenixcontact.com/us/products/1212474>



Cable duct cutter, for cutting plastic cable ducts, covers, and profiles, 45° limit stop also for bevel cuts, 75 mm cutting length

---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)