

3240604

https://www.phoenixcontact.com/us/products/3240604

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable duct, blue, halogen-free, comprising upper part and mounting base, width: 100 mm, height: 60 mm, length: 2000 mm

### Commercial data

Item number	3240604
Packing unit	8 pc
Minimum order quantity	8 pc
Sales key	BE74
Product key	BE7442
GTIN	4046356630207
Weight per piece (including packing)	1,224 g
Weight per piece (excluding packing)	1,224 g
Customs tariff number	39259020
Country of origin	DE



3240604

https://www.phoenixcontact.com/us/products/3240604

### Technical data

### Product properties

Product type	Wiring duct
Data management status	
Article revision	01

#### Connection data

Nominal cross section	3746 mm²

#### **Dimensions**

Dimensional drawing	6,6
Width	100 mm
Height	2000 mm
Depth	60 mm
Length	2000 mm

### Material specifications

Color	blue (RAL 5015)
Material	PC/ABS
Flammability rating according to UL 94	V0
Components	halogen-free

#### Cable/line

Hologon from	VAS 2AV
Halogen-free	yes

#### Environmental and real-life conditions

#### Ambient conditions


Ambient temperature (operation)	-25 °C 90 °C

3240604

https://www.phoenixcontact.com/us/products/3240604



### Drawings



Base perforation according to DIN EN 50085



3240604

https://www.phoenixcontact.com/us/products/3240604

### **Approvals**

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/3240604



Approval ID: 248269



VDE Zeichengenehmigung

Approval ID: 40028972



**UL Recognized**Approval ID: FILE E 328576



3240604

https://www.phoenixcontact.com/us/products/3240604

### Classifications

UNSPSC 21.0

#### **ECLASS**

ECLASS-11.0	27400703
ECLASS-12.0	27400703
ECLASS-13.0	27400703
ETIM	
ETIM 8.0	EC000012
UNSPSC	

39131700



3240604

https://www.phoenixcontact.com/us/products/3240604

# Environmental product compliance

EU RoHS	
---------	--

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



3240604

https://www.phoenixcontact.com/us/products/3240604

#### Accessories

### RVT-PA 4 - Fastening clip

3240498

https://www.phoenixcontact.com/us/products/3240498



Plastic body-bound rivet, for hole diameter of 4 mm and a material thickness of 1.5  $\dots$  6 mm

### RVT-PA 6 - Fastening clip

3240499

https://www.phoenixcontact.com/us/products/3240499



Plastic body-bound rivet, for hole diameter of 6 mm and a material thickness of 1.5  $\dots$  6 mm



3240604

https://www.phoenixcontact.com/us/products/3240604

### CD WR - Universal wire retaining clip

3240284

https://www.phoenixcontact.com/us/products/3240284



Universal wire holding bracket, perforated, for wiring channels

#### UNIFOX-RVT P 4 - Tool

1212478

https://www.phoenixcontact.com/us/products/1212478



Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets



3240604

https://www.phoenixcontact.com/us/products/3240604

#### UNIFOX-RVT P 6 - Tool

1212509

https://www.phoenixcontact.com/us/products/1212509



Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets

#### PPS CD M - Cable duct cutter

1207569

https://www.phoenixcontact.com/us/products/1207569



Cable duct cutter, for burr-free cutting cable ducts and their covers, can be used up to a width of 125 mm



3240604

https://www.phoenixcontact.com/us/products/3240604

#### CUTFOX-CD - Cable duct cutter

1212474

https://www.phoenixcontact.com/us/products/1212474



Cable duct cutter, for cutting plastic cable ducts, covers, and profiles,  $45^\circ$  limit stop also for bevel cuts, 75 mm cutting length

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com