



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Guide Hardware**

Connector Hardware Accessory Type: **Guide Socket Module**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **125 °C [257 °F]**

Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**

Features

Product Type Features

Hardware Accessory Function	Guide Hardware
Connector Hardware Accessory Type	Guide Socket Module

Configuration Features

Accessory Placement Location	Front Board
------------------------------	-------------

Body Features

Primary Product Plating Material	Nickel
Product Orientation	Right Angle
Primary Product Material	Stainless Steel

Mechanical Attachment

Product Plating Finish	Passivated
Product Mount Type	Printed Circuit Board

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Industry Standards

--	--



Industry Standard	VITA 46
-------------------	---------

Packaging Features

Packaging Quantity	1
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 2000676-2
Keyed Guide Pin, Machined, Vita 46



Customers Also Bought



TE Part #2102772-1
DC, 7Row, Half Left End, MULTIGIG RT 2R



TE Part #1410946-1
MULTI-GIG SOC. CAP SCREW, CUSTOMIZED HDW



TE Part #970335-000
S1278-01



TE Part #2102061-4
Mezalok, Socket, 114 p, 12 mm, 50 Au, LF



TE Part #1-2000713-0
RA Keyed Guide Mod, Vita 46, Machined



TE Part #2102771-1
DC, 7Row, Center, MULTIGIG RT 2R



TE Part #2000713-7
RA Keyed Guide Mod, Vita 46, Machined



TE Part #2000713-9
RA Keyed Guide Mod, Vita 46, Machined



TE Part #6828099-2
FOCK, TJ-SC, SIMPLEX, MM, BULK PACK



TE Part #2226808-1
COVER, MULTIGIG DAUGHTERCARD, 6U

Documents

Product Drawings

RA Keyed Guide Mod, Vita 46, Machined

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2000713-2_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2000713-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2000713-2_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

SOSA Aligned Interconnect Solutions

English

MULTIGIG RT 2-R Ruggedized Connectors

English