



Charging Inlets

TE Internal #: 2375502-2
Automotive Connector Caps & Covers, Sealing Cover, Orange /
Black, PA GF, 9 Position, -40 – 185 °F [-40 – 85 °C], Charging Inlets
[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers >
DC Fast Charge CCS1 and CCS2 Inlet Kits



Protection & Strain Relief Accessory Type: **Sealing Cover**
Strain Relief: **With**
Primary Product Color: **Black, Orange**
Primary Product Material: **PA GF**
Number of Positions: **9**

[All DC Fast Charge CCS1 and CCS2 Inlet Kits \(24\)](#)

Features

Product Type Features

Sealable	Yes
Protection & Strain Relief Accessory Type	Sealing Cover

Configuration Features

Number of Positions	9
---------------------	---

Body Features

Primary Product Color	Black, Orange
Primary Product Material	PA GF

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	85 °C[185 °F]
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]



Industry Standards

Degree of Protection	IP67
----------------------	------

Packaging Features

Packaging Quantity	1
Packaging Method	Bag & Box

Other

Serviceable	No
-------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.5% in component part) Octamethylcyclotetrasiloxane (D4) (.5% in component part) Decamethylcyclopentasiloxane (D5) (.5% in component part) Dodecamethylcyclohexasiloxane (D6) (.5% in component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 1-967640-1
4POS MQS REC COD A

TE Part # 2151022-1
OCEAN_2.0_APPLICATOR-S-055F070F-RSM

TE Part # 2276149-6
Large Size Wire Applicator-LP

Also in the Series | Charging Inlets

Automotive Connector Caps & Covers
(89)

Automotive Connector Locks &
Position Assurance(13)

Automotive Housings(17)

Automotive Terminals(18)

Connector Backshells(3)

Connector Seals & Cavity Plugs(14)

Crimp Wire Pins, Tabs & Ferrules(6)


Electric, Hybrid & Fuel Cell Cable
Assemblies(107)

High Voltage Wire Processing
Equipment(17)

Other Automotive Connector
Accessories(4)

Customers Also Bought





TE Part #820056-000
462A023-25-0



TE Part #1622545-1
LR1 1% 680R



TE Part #2160283004
General Purpose Hookup Wire: Tin
Coated Copper Wire, 24 AWG



TE Part #2358664-2
FLAP, ASSY, INLET COMBO 2, LEFT



TE Part #2375502-1
DC Fast Charge CCS1 and CCS2 Inlet
Kits



TE Part #2160753002
55A0111-24-5



TE Part #2138622-1
RELAY, EVC135, 26 OHM COIL (15"
WIRE)

Documents

Product Drawings

CHARGE INLET, COMBO 2, 90 DEGREE

English

CHARGE INLET, COMBO 2, 90 DEGREE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2375502-2_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2375502-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2375502-2_B.3d_igs.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English