TE Internal #: 2343297-2

Box-Clip PCB Spring Contact, Side Protected, Uncompressed Height 4 mm [.157 in], Length 5.75 mm [.226 in], Width 1.8 mm [.071

in]

View on TE.com >



Connectors > Contacts > PCB Spring Contacts











Spring Finger Type: Box-Clip

Side Protected: Yes

Uncompressed Height: 4 mm [.157 in]

Product Length: 5.75 mm [.226 in]

Product Width: 1.8 mm [.071 in]

Features

Product Type Features

Connector System	Board-to-Board
Spring Finger Type	Box-Clip
Configuration Features	
Number of Positions	1
Side Protected	Yes
Contact Features	
Contact Working Range (Low)	2.4 mm[.094 in]
Contact Working Range (High)	3.2 mm[.126 in]
Point of Contact Area Plating Material	Gold
Contact Current Rating (Max)	1 A
Dimensions	
Uncompressed Height	4 mm[.157 in]

5.75 mm[.226 in]

1.8 mm[.071 in]

Product Length

Product Width



Usage Conditions

Operating Temperature Range	-67 – 257 °C[-55 – 125 °F]
Operation/Application	
Circuit Application	Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought





















Documents

Product Drawings
SPRING FINGER

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2343297-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2343297-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2343297-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Box-Clip PCB Spring Contact, Side Protected, Uncompressed Height 4 mm [.157 in], Length 5.75 mm [.226 in], Width 1.8 mm [.071 in]



Product Specifications

Product specification for 4.0H spring finger

English

Test report for 4.0H spring finger

English