




Wire Protection & Management > Wiring Ducts & Accessories > Wiring Ducts & Covers > PVC Wiring Duct: 2 meters, Gray Color, Flame-Retardant



Wiring Duct Product Type: **Wiring Duct**

Primary Product Material: **PVC**

Product Height: **100 mm [ 3.937 in ]**

Product Length: **2000 mm [ 78.74 in ]**

Product Width: **120 mm [ 4.724 in ]**

[All PVC Wiring Duct: 2 meters, Gray Color, Flame-Retardant \(23\)](#)

Features

Product Type Features

|                          |             |
|--------------------------|-------------|
| Wiring Duct Product Type | Wiring Duct |
|--------------------------|-------------|

Body Features

|                          |      |
|--------------------------|------|
| Primary Product Color    | Gray |
| Primary Product Material | PVC  |

Dimensions

|                |                   |
|----------------|-------------------|
| Product Height | 100 mm[3.937 in]  |
| Product Length | 2000 mm[78.74 in] |
| Product Width  | 120 mm[4.724 in]  |

Usage Conditions

|                             |                         |
|-----------------------------|-------------------------|
| Operating Temperature Range | -5 – 60 °C[23 – 140 °F] |
|-----------------------------|-------------------------|

Packaging Features

|                    |    |
|--------------------|----|
| Packaging Quantity | 10 |
|--------------------|----|



Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Out of Scope                                                                                                                    |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JUNE 2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.                                                                                  |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                      |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1SET411206R0000  
WD-1-CP-GR120

TE Part # CAT-Z62-W1-RT  
Wiring Duct Accessories: PVC and LSHF Ranges, Black, Gray

TE Part # 1SET411402R0000  
WD-1-TL-0002

TE Part # 1SET411403R0000  
WD-1-TL-0003

1SET411004R0000

Wiring Duct, PVC, Height 100 mm [3.937 in], Length 2000 mm [78.74 in], Width 120 mm [4.724 in], -5 – 60 °C [23 – 140 °F]





TE Part # 1SET411404R0000  
WD-1-TL-0004



TE Part # 1SET411401R0000  
WD-1-TL-0001



TE Part # 1SET411407R0000  
WD-1-TL-0007

Customers Also Bought



TE Part #1SET411001R0000  
PVC Wiring Duct: 2 meters, Gray Color, Flame-Retardant

Documents

Product Drawings

WD-1-DP-GR1201

French

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1SET411004R0000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SET411004R0000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SET411004R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Infographic - entrelec ews-linecard

English

Datasheet - ENTRELEC-wiring-duct-DS

English

Datasheet - Entrelec Electrical-Solutions

Essential Entrelec Terminal Blocks

1SET411004R0000

Wiring Duct, PVC, Height 100 mm [3.937 in], Length 2000 mm [78.74 in], Width 120 mm [4.724 in], -5 – 60 °C [23 – 140 °F]



French

[Essential Entrelec Terminal Blocks](#)

English

[Essential Entrelec Terminal Blocks](#)

Japanese

---

[Agency Approvals](#)

[Agency Approval Document](#)

English