




Wire Protection & Management > Wiring Ducts & Accessories > Wiring Ducts & Covers >

Wiring Duct: PC-ABS Material, Gray, 2 meters, Flame-Retardant



Wiring Duct Product Type: **Wiring Duct**

Primary Product Material: **PC-ABS**

Product Height: **40 mm [ 1.575 in ]**

Product Length: **2000 mm [ 78.74 in ]**

Product Width: **25 mm [ .984 in ]**

[All Wiring Duct: PC-ABS Material, Gray, 2 meters, Flame-Retardant \(11\)](#)

Features

Product Type Features

|                          |             |
|--------------------------|-------------|
| Wiring Duct Product Type | Wiring Duct |
|--------------------------|-------------|

Body Features

|                          |        |
|--------------------------|--------|
| Primary Product Color    | Gray   |
| Primary Product Material | PC-ABS |

Dimensions

|                |                   |
|----------------|-------------------|
| Product Height | 40 mm[1.575 in]   |
| Product Length | 2000 mm[78.74 in] |
| Product Width  | 25 mm[.984 in]    |

Usage Conditions

|                             |                           |
|-----------------------------|---------------------------|
| Operating Temperature Range | -25 – 90 °C[-13 – 194 °F] |
|-----------------------------|---------------------------|

Packaging Features

|                    |    |
|--------------------|----|
| Packaging Quantity | 50 |
|--------------------|----|



Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Out of Scope                                                                                                                    |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JUNE 2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                             |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                      |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1SET411250R0000  
WD-1-CH-GR025



TE Part # 1SET411402R0000  
WD-1-TL-0002



TE Part # 1SET411401R0000  
WD-1-TL-0001




TE Part # 1SET411407R0000  
WD-1-TL-0007

Customers Also Bought

1SET411102R0000


Wiring Duct, PC-ABS, Height 40 mm [1.575 in], Length 2000 mm [78.74 in], Width 25 mm [.984 in], -25 – 90 °C [-13 – 194 °F]



TE Part #9998552005  
DWTC-16/4-X-STK



TE Part #1-1879074-7  
THS15 12R 5%



TE Part #1SET411107R0000  
WD-1-DH-GR6040



TE Part #1618002-7  
EV200AAANA=RELAY, EV200 SPST-N



TE Part #130552  
TERM, RING, SOLIS, 6, M5



TE Part #33460  
TERMINAL,SOLIS R 8 10



TE Part #1577621-1  
TERMINAL RT PIDG PEEK STRATO 24-22 AWG



TE Part #51863-3  
TERM,RING, PIDG, IR, 20, #6



TE Part #ZPF000000000018296  
FDBA 50-18-11 PN-K 090



TE Part #91066-4  
INSERTION/EXTRACTION TOOL

Documents

Product Drawings  
WD-1-DH-GR2540

French

CAD Files  
3D PDF

3D

Customer View Model  
ENG\_CVM\_CVM\_1SET411102R0000\_A.2d\_dxf.zip

English

Customer View Model  
ENG\_CVM\_CVM\_1SET411102R0000\_A.3d\_igs.zip

English

Customer View Model  
ENG\_CVM\_CVM\_1SET411102R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages





[Infographic - entrelec ews-linecard](#)

English

[Datasheet - ENTRELEC-wiring-duct-DS](#)

English

[Datasheet - Entrelec Electrical-Solutions](#)

[Essential Entrelec Terminal Blocks](#)

French

[Essential Entrelec Terminal Blocks](#)

English

[Essential Entrelec Terminal Blocks](#)

Japanese

---

[Agency Approvals](#)

[Agency Approval Document](#)

English

[Agency Approval Document](#)

English