



Application Tooling > Heat Shrink Equipment



Equipment Processing Type: **Discrete**
Applicable Region: **Asia Pacific**
Heat Shrink Equipment Application: **In-Line Splice, Ring Terminal, Stub Splice**
Tooling Type: **Machines & Equipment**
Operating Voltage: **220 V**

Features

Electrical Characteristics

Operating Voltage	220 V
-------------------	-------

Dimensions

Tubing Outer Diameter (Max)	≤ 19 mm
Tubing Length (Max)	≤ 65 mm

Product Availability

Applicable Region	Asia Pacific
-------------------	--------------

Other

Equipment Processing Type	Discrete
Heat Shrink Equipment Application	In-Line Splice, Ring Terminal, Stub Splice
Tooling Type	Machines & Equipment
Substrate Length Max	65 mm
Substrate Outside Diameter Max	20 mm

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-HST-DWFR DWFR Heat Shrink Tubing	 TE Part # CAT-HSC-ESCAP1 Splice Sealing End Cap(ES-Cap)	 TE Part # CAT-HST-SCT SCT Heat Shrink Tubing	 TE Part # 829131P021 ES2000-NO.1-C1-0-STK
 TE Part # CAT-HST-ES1000 ES1000 Heat Shrink Tubing	 TE Part # 063725P013 ES2000-NO.2-B9-0-75MM	 TE Part # 063725P080 ES2000-NO.2-B9-0-33MM	 TE Part # 063725P078 ES2000-NO.2-B9-0-38MM



 TE Part # 130599P007 ES2000-NO.4-B7-0-60MM	 TE Part # 829131P051 ES2000-NO.1-C1-0-40MM	 TE Part # 063725P028 ES2000-NO.2-B9-0-25MM	 TE Part # 826309-000 ES2000-NO.1-C1-0-45MM
 TE Part # 829131P043 ES2000-NO.1-C1-0-35MM	 TE Part # 350582-000 ES2000-NO.3-B8-0-35MM	 TE Part # 829131P079 ES2000-NO.1-C1-0-15MM	 TE Part # 089543-000 ES2000-NO.3-B8-0-38MM
 TE Part # 063725P011 ES2000-NO.2-B9-0-50MM	 TE Part # D04950-000 ES2000-NO.1-C1-0-38MM	 TE Part # 829131P011 ES2000-NO.1-C1-0-30MM	 TE Part # 829131P012 ES2000-NO.1-C1-0-50MM

Customers Also Bought

 TE Part #963294-1 SINGLE WIRE SEAL INSULATION DI	 TE Part #2819609-1 2POS,SOC HSG,AMPSEAL,SLD,COD NEUT	 TE Part #7-1452665-3 MCON 1.2 LL REC SWS AG	 TE Part #2138414-1 50P HYBRID UNSEALED, MALE CAP
 TE Part #2234986-1 TRANSFORMER 110V INPUT/220V OUPUT	 TE Part #2410400-1 XS-D1 Shuttle Heater, STD	 TE Part #2819613-1 6 WAYS CONNECTOR - POWER WINDO	 TE Part #2079707-1 CABLE ASSY, ADAPTER, USB to RS



Documents

Product Drawings

RBK-X1 STD

English

Instruction Sheets

RBK-X1C CE Heat Shrink Machine

409-35022-TUR

HEAT SHRINK MACHINE, BARCODE SCANNING INSTRUCTION

English

RBK-X1/X1C Heat Shrink Machine

English

RBK-X1C CE Heat Shrink Machine, PN 2376800-2

French

RBK-X1C CE Heat Shrink Machine, PN 2376800-2

RBK-X1C CE Heat Shrink Machine, PN 2376800-2

German

409-35022-CZE

409-35022-POR

409-35022-ITA

409-35022-JPN

Japanese

RBK-X1/X1C Heat Shrink Machine-CHI

RBK-X1/X1C Heat Shrink Machine-DUT

RBK-X1/X1C Heat Shrink Machine-RON

409-35022-LIT

409-35022-SLO

RBK-X1C CE Heat Shrink Machine