TE Internal #: 2361107-1

PCB RF Modules, 14 Coaxial Contacts, Vertical, Aluminum Alloy, Cable-to-Cable, 14 Position, Wire & Cable, Board Mount, -65 – 120 °

C [-85 – 248 °F]

View on TE.com >



Connectors > RF Connectors > RF Modules > PCB RF Modules











Number of Coaxial Contacts: 14

PCB Mount Orientation: Vertical

Body Material: Aluminum Alloy

Connector System: Cable-to-Cable

Number of Positions: 14

Features

Product Type Features

Connector System	Cable-to-Cable
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Coaxial Contacts	14
PCB Mount Orientation	Vertical
Number of Positions	14
Body Features	
Body Material	Aluminum Alloy
Mechanical Attachment	
Connector Mounting Type	Board Mount
Usage Conditions	
Operating Temperature Range	-65 – 120 °C[-85 – 248 °F]
Operation/Application	

Signal

Circuit Application



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts














Customers Also Bought





TE Part #1-2176379-4 RQ 0805 147R 0.1% 10PPM 5K RL



TE Part #2302786-1 RAPLUGASSY,7ROWLEFTEND,HALF, VPX,MGRT3



TE Part #2302790-2 VERTRECASSY, RIGHTEND, MULTIGIG



TE Part #2313441-1 MULTIBEAM, VERT ASSY, VITA 62.2, PRSSFIT



TE Part #2313444-1 MULTIBEAM 270V, VERTICAL FIN, VITA 62



TE Part #2356183-1 Conn Kit, VITA 66.4-Deriv, Rcpt, Dual-







Documents

Product Drawings

MOD 14 POS SMPM VITA 67-3 TYPE A BP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2361107-1_A.2d_dxf.zip

PCB RF Modules, 14 Coaxial Contacts, Vertical, Aluminum Alloy, Cable-to-Cable, 14 Position, Wire & Cable, Board Mount, -65 – 120 °C [-85 – 248 °F]



English

Customer View Model

ENG_CVM_CVM_2361107-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2361107-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English