



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover**

Strain Relief: **With**

Primary Product Material: **Nylon 6/6**

Operating Temperature (Max): **120 °C [248 °F]**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover
---	-------

Body Features

Primary Product Material	Nylon 6/6
--------------------------	-----------

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2345390-1
3POS,AMP MCP 2.8,REC HSG ASSY,
SLD,COD 1



TE Part # 2345390-2
3POS,AMP MCP 2.8,REC HSG ASSY,
SLD,COD 2

Also in the Series | Superseal Pro



Automotive Connector Caps & Covers (3)



Automotive Housings(91)



Connector Backshells(13)



Connector Caps & Covers(1)




Other Automotive Connector
Accessories(1)

Customers Also Bought



TE Part #1452997-1
76 POS 2-NDRAY LOCK BIG



TE Part #967542-1
SENSOR FLA-KONT 2,8



TE Part #1241608-6
MQS1,5 Ag rec CB unseal. 0,75-1,5



TE Part #936111-1
2.8mm Sealed 2P Cover



TE Part #2050992-1
SEALED JPT HOUSING ASSEMBLY,
10P



TE Part #2050052-1
4POS 2.8MM SENSOR PLUG ASSY.



TE Part #1-1452424-2
BLIND PLUG FOR MCON 1.2 CB (1.



TE Part #2050049-1
3POS 2.8MM SENSOR PLUG ASSY



TE Part #2050780-2
COVER FOR 4P SENSOR
CONNECTOR



TE Part #2050046-4
2POS 2.8MM SENSOR PLUG ASSY.

Documents

Product Drawings

COVER FOR 3P SENSOR CONNECTOR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2050832-2_B.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2050832-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2050832-2_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English