

CII | CII 3SBC Relay

TE Internal #: 2-1617072-2


1/5-Size Relays, Contact Arrangement 2 Form C, DPDT, 2 C/O, 26.5

VDC Input Voltage, 2A Contact Current Rating, CII 3SBC Relay

View on TE.com >



Relays & Contactors > Relays > Mil-Aero Relays > 1/5-Size Relays > DPDT Relay : Electrically-Held, 1/5-Size Relay



Contact Arrangement: 2 Form C, DPDT, 2 C/O

Input Voltage: 26.5 VDC

Contact Current Rating: 2 A

Coil Voltage Rating: 26.5 VDC

Coil Resistance: 1350 Ω

All DPDT Relay: Electrically-Held, 1/5-Size Relay (84)

Features

Configuration Features

Mechanical Attachment

Product Mount Type

Operating Temperature Range

Usage Conditions

Contact Arrangement	2 Form C, DPDT, 2 C/O
Electrical Characteristics	
Input Voltage	26.5 VDC
Contact Current Rating	2 A
Coil Voltage Rating	26.5 VDC
Coil Resistance	1350 Ω
Coil Power Rating DC	520 mW
Body Features	
Enclosure Type	Hermetically Sealed
Termination Features	
Relay Connection Type	PCB Termination
Terminal Configuration	PCB Pins

Printed Circuit Board

-65 – 125 °C



Operation/Application

Vibration Resistance	30G's, 10 – 3000Hz
Actuating System	DC
Shock Resistance	75G's, 6ms
Coil Magnetic System	Non-Polarized, Monostable

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # CAT-3SBH-4PDT-WOCS 4PDT Signal Relay: Electrically-Held, 1 /5-Size Relay



TE Part # CAT-3SBH-4PDT-WCS 4PDT Signal Relay: Electrically-Held, With Coil Suppression


Also in the Series | CII 3SBC Relay



Customers Also Bought



TE Part #9-2176070-4 3521 75K 1% 2W



TE Part #1-2176331-3 CRGP 2512 100R 1%



TE Part #4-2176331-7 CRGP 2512 68K 1%



TE Part #6162-283-0877 **CONT PIN ASSY**



TE Part #1218124-1 9 POS,ASSY,PLUG,LOW PROF,109



TE Part #2-1617006-2 3SAV1694A3 = RELAY

TE Part #Y72251-23-53PNV003 HERM RECP



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1617072-2_G_c-2-1617072-2-g.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1617072-2_G_c-2-1617072-2-g.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1617072-2_G_c-2-1617072-2-g.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

5-1773450-5_sec1_3SBC

English

RELAY

English