

#### **AMPLIMITE**

TE Internal #: 448153-4

Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 3 Position, Power/Signal/Coax Combination, 2 Connector Shell Size, Pin, Size

8 Contact Size

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > Box Mount D-Sub Connectors



Connector & Housing Type: Plug Connector System: Cable-to-Cable

Number of Positions: 3

Power/Signal/Coax Combination: Yes

Connector Shell Size: 2

### **Features**

## **Product Type Features**

Connector & Housing Type	Plug
Connector System	Cable-to-Cable
Connector Shell Size	2
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board, Wire & Cable
Configuration Features	

#### Configuration Features

Number of Positions	3
Power/Signal/Coax Combination	Yes

## **Body Features**

Rear Shell Material	Steel
Rear Shell Plating Material	Tin
Front Shell Plating Material	Tin
Mating Retention Feature Material	Stainless Steel
Front Shell Material	Steel
D-Sub Connector Insert Arrangement	3C3

#### Contact Features

Contact Options	Order Separately
Contact Type	Pin



Contact Size	Size 8
Contact Current Rating (Max)	32 A
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Connector Mounting Type	Panel Mount
Mating Alignment	Without
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power
Packaging Features	

## **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Package

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts




# Customers Also Bought



TE Part #5747842-6 25 MSFL PLUG RA 318 (SL,FM,BL)



TE Part #2-644486-4 04P MTA100 SHRDED HDR ASSY SN



TE Part #5748678-1 2 PC PLST CBL CLMP KIT



TE Part #5747099-3 CABLE CLAMP KIT,SZ 2



TE Part #1-770178-1 06P MINI UMNL ASSY VO SNAU LF



TE Part #1-770170-1 03P MINI UMNL ASSY VO SNAU LF



TE Part #1-770166-1 02P MINI UMNL ASSY VO SNAU LF







08/16/2024 06:11AM | Page 3



## **Documents**

## **Product Drawings**

AMPLIMITE,3C3,SZ 2,PLUG

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_448153-4\_W.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_448153-4\_W.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_448153-4\_W.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Agency Approvals**

Agency Approval Document

English