




Terminals & Splices > Splices



Wire Size: 20 – 16 AWG

Sealable: **Yes**

Splice Capacity: 1

Splice Features: **Splice Kit**

Contact Base Material: **Copper Alloy**

Features

Product Type Features

|                       |        |
|-----------------------|--------|
| Splice Accessory Type | Splice |
| Sealable              | Yes    |

Configuration Features

|                 |   |
|-----------------|---|
| Splice Capacity | 1 |
|-----------------|---|

Body Features

|                 |            |
|-----------------|------------|
| Splice Features | Splice Kit |
|-----------------|------------|

Contact Features

|                       |              |
|-----------------------|--------------|
| Contact Base Material | Copper Alloy |
| Barrel Type           | Closed       |

Dimensions

|           |             |
|-----------|-------------|
| Wire Size | 20 – 16 AWG |
|-----------|-------------|

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Insulation Option           | Fully Insulated            |
| Operating Temperature Range | -65 – 200 °C[-85 – 392 °F] |

Industry Standards

|                             |    |
|-----------------------------|----|
| Government Qualified Splice | No |
|-----------------------------|----|



Packaging Features

|                  |         |
|------------------|---------|
| Packaging Method | Bag/Box |
|------------------|---------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                      |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                      |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                        |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free                                     |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                   |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # EG8162-000  
[HL1920E-230V-EURO](#)



TE Part # 992008-000  
[AD-1377-CRIMP-TOOL-3-CVTY](#)

Customers Also Bought



|                                                                                                                                                           |                                                                                                                                 |                                                                                                                                                 |                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part #DT04-2P<br/>REC, 2P, GRY, N</p>                             |  <p>TE Part #DT06-2S<br/>PLG, 2P, GRY, N</p>   |  <p>TE Part #W2S<br/>Wedgelocks: DEUTSCH DT</p>              |  <p>TE Part #0460-202-16141<br/>DEUTSCH Solid Contacts</p> |
|  <p>TE Part #282104-1<br/>AMP SUPERSEAL 1.5MM,<br/>CONNECTOR HOUSING</p> |  <p>TE Part #281934-2<br/>SINGLE WIRE SEAL</p> |  <p>TE Part #114017-ZZ<br/>SEALING PLUG, SIZE 12/16, WHT</p> |                                                                                                                                               |

Documents

Product Drawings

D-200-0229

English

Datasheets & Catalog Pages

1654025\_Sec8\_D-200

English

Harness Repair Products Quick Reference Guide

English

Product Specifications

Instulation Procedure for D-200 series Shielded Cable Splice Kits with MiniSeal Crimp Primary Splices

English