# CPF-A-0805B75RE ACTIVE

## Neohm | Neohm CPF

TE Internal #: 1-2176238-7

Precision Resistor, Thin Film, 0805, .1 W, 75  $\Omega$ , .1 %, ±25 ppm/°C, Solder, 2 Termination, Height .022 in [.55 mm], Length .079 in [2

mm], Neohm CPF

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Element Type: **Thin Film**Package Size Code: **0805** 

Power Rating: .1 W Resistance Value:  $75 \Omega$ 

### **Features**

## **Product Type Features**

Resistor Type	Precision Resistor
Element Type	Thin Film
Package Size Code	0805
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	100 V
Power Rating	.1 W
Resistance Value	75 Ω
Resistance Class	Up to $1k\Omega$
Passive Component Tolerance	.1 %
Termination Features	
Surface Mount Resistor Termination Type	Solder

2

Number of Terminations



#### **Dimensions**

Product Height	.55 mm[.022 in]
Product Length	2 mm[.079 in]
Product Width	1.25 mm[.049 in]
Usage Conditions	

Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±25 ppm/°C

#### **Packaging Features**

Packaging Method	Taped & Reeled
r ackaging Method	raped & Reeled

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





## Also in the Series | Neohm CPF



# Customers Also Bought













## **Documents**

#### **CAD Files**

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1-2176238-7\_A.2d\_dxf.zip

English

Precision Resistor, Thin Film, 0805, .1 W, 75  $\Omega$ , .1 %,  $\pm$ 25 ppm/°C, Solder, 2 Termination, Height .022 in [.55 mm], Length .079 in [2 mm], Neohm CPF



**Customer View Model** 

ENG\_CVM\_CVM\_1-2176238-7\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2176238-7\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## Datasheets & Catalog Pages

Automotive Grade Thin Film Chip Resistor - Type CPF-A Series

English