



Wire Protection & Management > Heat Shrink Shapes > Cable Transitions & Breakouts



Number of Branches & Legs: 4

Material Code: 3

Material Systems Code: 10

Adhesive Requirement: **Adhesive Purchased Separately**

Operating Temperature Range: -55 – 135 °C [-67 – 275 °F]

Features

Configuration Features

Number of Branches & Legs	4
Adhesive Requirement	Adhesive Purchased Separately

Body Features

Primary Product Material	Modified Polyolefin
Material Code	3
Material Systems Code	10

Usage Conditions

Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought

TE Part #5-1625971-3
HSA25 4K7 5%

TE Part #DT12P-BT-BK
BOOT, 12P, REC, ST, BLK

TE Part #DT06-12SB-E008
PLG, 12P, BLK, N, XCAP, B

TE Part #DT04-12PB-P030
REC, 12P, BLK, BUSBAR 4X3, NICKEL, B

TE Part #HDP24-24-29PE-L017
REC, 29P, BLK, E, RNG, 12/16/20, P

TE Part #DRC12-40PAE
REC, 40P, BLK, E, FLANGE, A

TE Part #1-543382-0
INSERT/EXTRACT TIP 25-KIT

TE Part #5172334004
HCTE-0281-0-SP

TE Part #YDBC54H-2221PNV001
HERM RECP

TE Part #CY7148-000
2524F0524-1L/9-9CS1553-L016

Documents

Product Drawings
F-23-FR
English



Datasheets & Catalog Pages

Raychem Molded Parts Visual Guide

English

Product Specifications

Product Specification

English

Raychem S1297 and /97 Hot Melt Adhesive

English