

Kilovac | Kilovac KHR500

TE Internal #: 5-1618404-0

High Voltage Relays, 1VDC Contact Voltage, 1 Form X, SPST-NO-

DM, Screw Terminals Main Connection, Flying Leads Coil

Connection, Kilovac KHR500

View on TE.com >



Relays & Contactors > Relays > High Voltage Relays



Contact Voltage Rating: 1 VDC

Contact Arrangement: 1 Form X, SPST-NO-DM

Coil Termination & Connection Type: Flying Leads Main Termination & Connection Type: Screw Terminals

Power Switching: Yes

Features

Configuration Foatures

Configuration Features	
Contact Arrangement	1 Form X, SPST-NO-DM
Electrical Characteristics	
Contact Voltage Rating	1 VDC
Contact Current Rating	600 A
Coil Voltage Rating	1000 VDC
Contact Switching Voltage (Max)	1000 VDC
Signal Characteristics	
RF Rated	No
Contact Features	
Contact Material	Copper
Termination Features	
Coil Termination & Connection Type	Flying Leads
Main Termination & Connection Type	Screw Terminals
Mechanical Attachment	

Product Mount Type

Product Mounting Feature Type

Flange with Mounting Holes

Chassis



Power Switching	Yes	
-----------------	-----	--

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Kilovac KHR500





Customers Also Bought






















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-1618404-0_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-1618404-0_C.3d_igs.zip

High Voltage Relays, 1VDC Contact Voltage, 1 Form X, SPST-NO-DM, Screw Terminals Main Connection, Flying Leads Coil Connection, Kilovac KHR500



English

Customer View Model

ENG_CVM_CVM_5-1618404-0_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

KHR500 CONTACTOR

English