

LEV200H4ANA

✓ ACTIVE

Kilovac | Kilovac LEV200

TE Internal #: 6-1618390-8

DC Contactors, Contact Arrangement 1 Form X, SPST-NO DM, 22 AWG Wire Size, .34 mm² Wire Size, 500A Contact Current Rating, Kilovac LEV200

[View on TE.com >](#)



Relays & Contactors > Contactors > Mil-Aero Contactors > DC Contactors



Contact Arrangement: 1 Form X, SPST-NO DM

Wire Size: .34 mm²

Contact Current Rating: 500 A

Coil Resistance: 11 Ω

Features

Configuration Features

Auxiliary Switch Contact Arrangement	None
Contact Arrangement	1 Form X, SPST-NO DM
Number of Poles	1

Electrical Characteristics

Contact Current Rating	500 A
Coil Resistance	11 Ω
Coil Voltage Rating	12 VDC
Contact Switching Voltage (Max)	900 VDC

Body Features

Enclosure Type	Sealed
----------------	--------

Termination Features

Main Termination & Connection Type	M8 x 1.25
Auxiliary Termination & Connection Type	Wire Connector
Coil Termination & Connection Type	Connector

Mechanical Attachment

Torque (Main)	80 – 100 in-lbs
Product Mount Type	Chassis

Dimensions



Coil Wire Length	390 mm[15.3 in]
------------------	-----------------

Wire Size	.34 mm²
-----------	---------

Operation/Application

Actuating System	DC
------------------	----

Packaging Features

Packaging Method	Individual
------------------	------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Cd (7.5% in COMPONENT) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
--	--

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 9-1618392-2
LEV200HLANA=RELAY, SPST-NO



TE Part # 3-1618389-7
LEV100A4ANG=RELAY, 12Vdc SPST-NO



TE Part # 6-1618412-9
LEV100H4ANG=CONTACTOR 12V, AUX SPST,15"



TE Part # 6-1618415-2
LEV100H4FNG=CONTACTOR 12V, AUX SPST,15"



TE Part # 6-1618415-3
LEV100H5FNG = CONTACTOR WITH AUX SPST



TE Part # 2-1618418-0
LEV100H5ANH = CONTACTOR WITH AUX SPST,15

Also in the Series | Kilovac LEV200



DC Contactors(15)



Definite Purpose Contactors(1)




General Purpose Contactors(4)



High Voltage Relays(13)

Customers Also Bought



TE Part #375458-000
202K174-25/225-0



TE Part #DT06-12SA-CE06
PLG, 12P, GRY, E, SEAL RET, ENH KEY, A



TE Part #36916
TERMINAL,SOLIS R 1/0 5/16



TE Part #63625-2
SPLICE 5000 -16000 .025 TPBR



TE Part #8-1393254-3
W92-X112-50=M6/M7/M9/W6/W7




TE Part #140787-2
TERMINAL RING TONGUE 22-16



TE Part #CB5435-000
XFFR-07X4



TE Part #1618387-3
LEV200A4ANA=RELAY, SPST-NO



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_6-1618390-8_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_6-1618390-8_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-1618390-8_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

5-1773450-5_sec7_LEV200

English