

RLP73N1ER18JTD

✓ ACTIVE

CGS | CGS RLP73

TE Internal #: 1-2176050-4

Low Ohmic Resistor, Thick Film, 0402, .125 W, .18 Ω , 5 %, ± 300 ppm / $^{\circ}\text{C}$, Solder, 2 Termination, Height .013 in [.32 mm], CGS RLP73

[View on TE.com >](#)



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Low Ohmic Resistor

Element Type: Thick Film

Package Size Code: 0402

Power Rating: .125 W

Resistance Value: .18 Ω

Features

Product Type Features

Resistor Type	Low Ohmic Resistor
Element Type	Thick Film
Package Size Code	0402

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Power Rating	.125 W
Resistance Value	.18 Ω
Resistance Class	Up to 1k Ω
Passive Component Tolerance	5 %

Termination Features

Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

Dimensions

Product Height	.32 mm[.013 in]
Product Length	1 mm[.039 in]
Product Width	.5 mm[.02 in]

Usage Conditions

--	--



Temperature Coefficient	± 300 ppm/ $^{\circ}\text{C}$
-------------------------	-----------------------------------

Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-C339-R529A
Thick Film Resistor: Current Sense

TE Part # 2176050-8
RLP73N 1E R10 5% 5K RL

Also in the Series | CGS RLP73

RLP73N1ER18JTD

Low Ohmic Resistor, Thick Film, 0402, .125 W, .18 Ω , 5 %, ± 300 ppm/ $^{\circ}\text{C}$, Solder, 2 Termination, Height .013 in [.32 mm], CGS RLP73



Surface Mount Resistors(401)

Customers Also Bought

TE Part #2-1415899-3
RZ03-1C4-D024

TE Part #1-2176050-3
Thick Film Resistor: Current Sense

TE Part #1734366-1
Std USB Type A, VT, T/H

TE Part #1393219-6
PE014012

TE Part #9-1415029-1
PB114024

TE Part #5-146868-1
B/A REELED SRST HDR ASSY 30 AU

Documents

Product Drawings
RLP73N 1E R18 5% 5K RL
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1-2176050-4_BA.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_1-2176050-4_BA.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_1-2176050-4_BA.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

RLP73N1ER18JTD

Low Ohmic Resistor, Thick Film, 0402, .125 W, .18 Ω , 5 %, ± 300 ppm/ $^{\circ}\text{C}$, Solder, 2 Termination, Height .013 in [.32 mm], CGS RLP73



[Datasheets & Catalog Pages](#)
[SMD Low Ohmic Current Sense Resistors - Type RL73 Series](#)
English