



Relays & Contactors > Relays > Time Delay Relays



Type of Control: **Knob**

Input Voltage: **125 VDC**

Timing Range (Off-Time): **.5 – 15 seconds**

Contact Current Rating: **5 A**

Features

Configuration Features

Contact Arrangement	2 Form C, DPDT, 2 C/O
---------------------	-----------------------

Electrical Characteristics

Input Voltage	125 VDC
Contact Current Rating	5 A

Termination Features

Relay Connection Type	Plug-In
-----------------------	---------

Mechanical Attachment

Product Mount Type	Socket
--------------------	--------

Dimensions

Product Width	50 mm[1.97 in]
Product Length	50 mm[1.97 in]
Product Height	83 mm[3.25 in]

Usage Conditions

Operating Temperature Range	-30 – 65 °C
-----------------------------	-------------

Operation/Application

Repeatability (Max)	±1%
Actuating System	AC, DC



Type of Control	Knob
Timing Range (Off-Time)	.5 – 15 seconds
Mode of Operation	Off-Delay

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2-1437463-4
SCERX22ACA=120V&125VDC 1 TO 30



TE Part # 1437463-4
SCERW21ABA=120V &125VDC 0.5 TO



TE Part # 1437463-5
SCERW21ACA=RELAY 120VAC 1-30 S



TE Part # 2-1437463-8
SCERX22AGA=120V &125VDC 10 TO3





TE Part # 3-1437463-8
SCERX22FBA=SCERX22FBA



TE Part # 1437463-6
SCERW21AEA=120V &125VDC 4 TO12



TE Part # 2-1437463-9
SCERX22ALA=2P,120VAC/125VDC, 0.33-10MIN



TE Part # 3-1437463-1
SCERX22EAA=24V 0.1 TO 3SEC



TE Part # 1755052-1
SCERW21ACA=RLY,TRU OFF,120VAC, 10 AMP



TE Part # 1755052-2
SCERW21ECA=RLY,TRU OFF,24V, 30SEC,KNOB




TE Part # 1755052-3
SCERW22ABA=RLY,TRUOFF,120V,15S, 10A

Customers Also Bought



TE Part #207019-1
METRIMATE PLUG,36 POS



TE Part #1393143-6
27E122=SOCKET,KRP,8,SCW,PLES



TE Part #6-1393302-3
V23134A1053C643-EV-CBOX



TE Part #1472958-1
SCERX22AEA=RLY,TRU OFF,120VAC/



TE Part #1SNA114836R0000
BAMH



TE Part #1SNA115501R1200
M6/8.D2

TE Part #1SNA116656R2500
FEM8D1

TE Part #1SNA116900R2700
BADH

TE Part #1SNS320001Z3271
RC810 CUSTOM PRINTED MARKERS

Documents



Product Drawings

[SCERX22ABA=120V &125VDC 0.5 TO](#)

English

Datasheets & Catalog Pages

[5-1773450-5_sec12_SCE](#)

English