# TE1200B8R2J ACTIVE

## CGS | CGS TE

TE Internal #: 1-1879454-2

Power Resistor, 8.2  $\Omega$ , 1200 W, Wire Wound, 2 Termination,  $\pm 440$  ppm/°C, 5 %, Solder Lug Termination, Loose Piece - Box, 1

Resistor, CGS TE

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors > Wirewound Resistor: Mineral, 2.5 Kw



Resistor Type: Power Resistor Resistance Class: Up to  $1k\Omega$  Resistance Value:  $8.2\,\Omega$  Power Rating:  $1200\,W$  Element Type: Wire Wound

All Wirewound Resistor: Mineral, 2.5 Kw (685)

## **Features**

#### **Product Type Features**

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	2500 V
Resistance Class	Up to $1k\Omega$
Resistance Value	8.2 Ω
Power Rating	1200 W
Passive Component Tolerance	5 %
Termination Features	
Number of Terminations	2
Chassis Mount Resistor Termination Type	Solder Lug
Mechanical Attachment	

Mounting Brackets

**Dimensions** 

Panel Mount Feature Type



Product Height	119 mm[4.685 in]
Product Length	465 mm[18.307 in]
Product Width	60 mm[2.362 in]
Usage Conditions	
Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±440 ppm/°C
Temperature Coefficient  Packaging Features	±440 ppm/°C

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





## Also in the Series | CGS TE



Chassis Mount Resistors(750)



RJ11 Connectors(1)



RJ14 Connectors(4)



RJ22 Connectors(5)



RJ25 Connectors(4)



RJ45 Connectors(30)

# Customers Also Bought



TE Part #2-6609107-0 PS0SXSS60=C1048



TE Part #1879452-9 Wirewound Resistor: Mineral, 2.5 Kw



TE Part #1-1630027-2 HSC300 33R 5%















## **Documents**

## **Product Drawings**

TE 1200W 8R2 5% Bracket

English

## Datasheets & Catalog Pages

4-1773460-6\_RESISTIVE\_SOLUTIONS\_RAIL

English

1309350\_PASSIVE\_COMPONENT

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English

High Power Wire wound Resistor Type TE Series

English